



OFFICE OF THE DIRECTOR FOR PHYSICAL PLANT

Visca, Baybay City, Leyte, PHILIPPINES Telefax: 1041(LOCAL) Email: www.ppo.@vsu.edu.ph Website: www.vsu.edu.ph

REPAIR AND MAINTENANCE REQUEST

Filled in by requesti	ng party		Filled in by PPC			
Date filed Building/Facility/ House No/ Apartment No./	. Advanced Research a		Date received Received by	1		
Department Location	: Visayas State University		Designation/	Name	e & Signature	
Requesting party : Dr. Ma. Theresa P. Loreto Name & Signature Designation/ Position : Director, ARIC		sa P. Loreto ignature	Position Maintenance control number	:		
Fosition	Dil ector,	ARIC				
Please check and specify the nature of work requested						
 □ Vehicle Repair □ Welding Works □ Machining works (lathe, shaper, drill press, etc.) □ Carpentry & F □ Plumbing Wo □ Instrumentation & Laboratory in 			n equipment	☐ Electrical Works☐ Heating, Ventilating, Air conditioning & Refrigeration☐ Others (specify):		
Materials/Supplies/Parts: ☐ Available ☐ Not Availab					le	
	Brie	f Description of Re	epair and Maintena	nce		
Repair of toilet bowl and urinals - There has been water leakage in the toilet bowls and urinals after flushing.						
Filled in by PPO personnel						
Part/Supplies/Materials Required		Manpower Re	Manpower Requirement		Estimated hours/days to finished	
e						
Filled in by the requesting party after the conduct of repair and maintenance						
Conducted —— by:	PPO Personnel	Service	Service Satisfaction		OVER-ALL RATING	
Sy.	(Name & Signature)	□ 1. N	ot Satisfied	☐ 1 Poor	☐ 2 Fair	
PPO Unit		2. SI	lightly Satisfied	☐ 3 Good	4 Very Good	
Checked &			oderately Satisfied	☐ 5 Excellent		
Verified by:	PPO Head (Name & Signature)		ery Satisfied xtremely Satisfied	Comment	s & Suggestion	
		Name	e and Signature			

Vision: Mission: A globally competitive university for science, technology, and environmental conservation. Development of a highly competitive human resource, cutting-edge scientific knowledge and innovative technologies for sustainable communities and environment.

Page 1 of 1 FM-PPO-09 v0 02-28-2022