

Southwestern University



By virtue of the authority granted by the government of the Republic of the Philippines and on recommendation of the faculty and approval of the Board of Directors has conferred on


May R. Serato

the degree of

Bachelor of Science in Medical Technology

upon satisfactory fulfillment of the requirements thereof and has granted this diploma as an evidence of graduation as approved by the Director of Higher Education with all its rights, honors and privileges as well as obligations and responsibilities thereunto pertaining.

IN TESTIMONY WHEREOF are herewith affixed the Seal of the University and our signatures.
Given in the City of Cebu, Philippines, on the 27th day of October in the year of our Lord one thousand nine hundred and eighty six.



S.O.(B) 413-0015 S. 19 87
DATED January 20, 19 87

Dr. [Signature]
DEAN

Wynand J. J. [Signature]
PRESIDENT

12631 87



FOUNDED 1946

SURNAME		FIRST NAME		MIDDLE NAME	Student's Number	Date of Birth		
SERATO		GAY		R.		Month	Day	Year
Jan.		6				64		
Place of Birth		Civil Status		Preliminary Graduation:				
Baybay Leyte		single						
Citizenship		Religion		Sex		Primary		
Filipino		Protestant		Female		Malabon Elem. School		
Home Address		Intermediate		Karunatan Elem. School				
C/o 968 D.V. Rama St. Cebu City		High School		Mahaplag High School				
Parent or Guardian		Pre-Med. / A.B. Graduated						
Mr. & Mrs. Estelito M. Serato		Entrance Date:						
CEA Cert. No.		Issued on						



STUDENT'S NUMBER	STUDENT'S NAME	CURR. AND YEAR	RATINGS	RE EXAM	UNITS
8713052	SERATO, GAY R.	BSMT 4			
GRADING SYSTEM:					
RATING	EQUIVALENT	QUALITY			
1.0-1.25	100-95	Excellent			
1.5-1.75	94-90	Very Good			
2.0-2.25	89-85	Good			
2.5-2.75	84-80	Satisfactory			
3.0	Below 75	Failure			
*INE-Incomplete Exam. *INR-Incomplete Report *INT-Incomplete T.F.S.G.					
	PHYS	PHYSIOLOGY	225		3.0
	BIOTA	BIOTATISTICS	175		1.0
	BIOTA	PRINCIPLES OF HYGIENE	175		1.0
	BIOTA	MEDICAL RECORDS	175		1.0
	C.S. 11	FUND. SKILLS & BASIC PROGR.	200		3.0
	HISTOPA	GEN. PATH. & HISTOPATH. TECH. (W)			
	WICR 1	PAPASITOLGY (W)			

STUDENT'S NUMBER	STUDENT'S NAME	CURR. AND YEAR	RATINGS	RE EXAM	UNITS
8713052	SERATO, GAY R.	PSMT 2			
GRADING SYSTEM:					
	2ND SEM 1965-1966				
	INTERNSHIP 1				

STUDENT'S NUMBER	STUDENT'S NAME	CURR. AND YEAR	RATINGS	RE EXAM	UNITS
8713052	SERATO, GAY R.	PSMT 4			
GRADING SYSTEM:					
RATING	EQUIVALENT	QUALITY			
1.0-1.25	100-95	Excellent			
1.5-1.75	94-90	Very Good			
2.0-2.25	89-85	Good			
2.5-2.75	84-80	Satisfactory			
3.0	Below 75	Failure			
*INE-Incomplete Exam. *INR-Incomplete Report *INT-Incomplete T.F.S.G.					
	INTERNSHIP 2				0
TRANSCRIPT CLOSED					

NOT VALID WITHOUT SEAL



Grading System Used: 1.0, 1.25, 1.5, 1.75, 2.0, 2.25, 2.5, 2.75, 3.0, 3.25, 3.5, 3.75, 4.0, 4.25, 4.5, 4.75, 5.0, 5.25, 5.5, 5.75, 6.0, 6.25, 6.5, 6.75, 7.0, 7.25, 7.5, 7.75, 8.0, 8.25, 8.5, 8.75, 9.0, 9.25, 9.5, 9.75, 10.0, 10.25, 10.5, 10.75, 11.0, 11.25, 11.5, 11.75, 12.0, 12.25, 12.5, 12.75, 13.0, 13.25, 13.5, 13.75, 14.0, 14.25, 14.5, 14.75, 15.0, 15.25, 15.5, 15.75, 16.0, 16.25, 16.5, 16.75, 17.0, 17.25, 17.5, 17.75, 18.0, 18.25, 18.5, 18.75, 19.0, 19.25, 19.5, 19.75, 20.0, 20.25, 20.5, 20.75, 21.0, 21.25, 21.5, 21.75, 22.0, 22.25, 22.5, 22.75, 23.0, 23.25, 23.5, 23.75, 24.0, 24.25, 24.5, 24.75, 25.0, 25.25, 25.5, 25.75, 26.0, 26.25, 26.5, 26.75, 27.0, 27.25, 27.5, 27.75, 28.0, 28.25, 28.5, 28.75, 29.0, 29.25, 29.5, 29.75, 30.0, 30.25, 30.5, 30.75, 31.0, 31.25, 31.5, 31.75, 32.0, 32.25, 32.5, 32.75, 33.0, 33.25, 33.5, 33.75, 34.0, 34.25, 34.5, 34.75, 35.0, 35.25, 35.5, 35.75, 36.0, 36.25, 36.5, 36.75, 37.0, 37.25, 37.5, 37.75, 38.0, 38.25, 38.5, 38.75, 39.0, 39.25, 39.5, 39.75, 40.0, 40.25, 40.5, 40.75, 41.0, 41.25, 41.5, 41.75, 42.0, 42.25, 42.5, 42.75, 43.0, 43.25, 43.5, 43.75, 44.0, 44.25, 44.5, 44.75, 45.0, 45.25, 45.5, 45.75, 46.0, 46.25, 46.5, 46.75, 47.0, 47.25, 47.5, 47.75, 48.0, 48.25, 48.5, 48.75, 49.0, 49.25, 49.5, 49.75, 50.0, 50.25, 50.5, 50.75, 51.0, 51.25, 51.5, 51.75, 52.0, 52.25, 52.5, 52.75, 53.0, 53.25, 53.5, 53.75, 54.0, 54.25, 54.5, 54.75, 55.0, 55.25, 55.5, 55.75, 56.0, 56.25, 56.5, 56.75, 57.0, 57.25, 57.5, 57.75, 58.0, 58.25, 58.5, 58.75, 59.0, 59.25, 59.5, 59.75, 60.0, 60.25, 60.5, 60.75, 61.0, 61.25, 61.5, 61.75, 62.0, 62.25, 62.5, 62.75, 63.0, 63.25, 63.5, 63.75, 64.0, 64.25, 64.5, 64.75, 65.0, 65.25, 65.5, 65.75, 66.0, 66.25, 66.5, 66.75, 67.0, 67.25, 67.5, 67.75, 68.0, 68.25, 68.5, 68.75, 69.0, 69.25, 69.5, 69.75, 70.0, 70.25, 70.5, 70.75, 71.0, 71.25, 71.5, 71.75, 72.0, 72.25, 72.5, 72.75, 73.0, 73.25, 73.5, 73.75, 74.0, 74.25, 74.5, 74.75, 75.0, 75.25, 75.5, 75.75, 76.0, 76.25, 76.5, 76.75, 77.0, 77.25, 77.5, 77.75, 78.0, 78.25, 78.5, 78.75, 79.0, 79.25, 79.5, 79.75, 80.0, 80.25, 80.5, 80.75, 81.0, 81.25, 81.5, 81.75, 82.0, 82.25, 82.5, 82.75, 83.0, 83.25, 83.5, 83.75, 84.0, 84.25, 84.5, 84.75, 85.0, 85.25, 85.5, 85.75, 86.0, 86.25, 86.5, 86.75, 87.0, 87.25, 87.5, 87.75, 88.0, 88.25, 88.5, 88.75, 89.0, 89.25, 89.5, 89.75, 90.0, 90.25, 90.5, 90.75, 91.0, 91.25, 91.5, 91.75, 92.0, 92.25, 92.5, 92.75, 93.0, 93.25, 93.5, 93.75, 94.0, 94.25, 94.5, 94.75, 95.0, 95.25, 95.5, 95.75, 96.0, 96.25, 96.5, 96.75, 97.0, 97.25, 97.5, 97.75, 98.0, 98.25, 98.5, 98.75, 99.0, 99.25, 99.5, 99.75, 100.0, 100.25, 100.5, 100.75, 101.0, 101.25, 101.5, 101.75, 102.0, 102.25, 102.5, 102.75, 103.0, 103.25, 103.5, 103.75, 104.0, 104.25, 104.5, 104.75, 105.0, 105.25, 105.5, 105.75, 106.0, 106.25, 106.5, 106.75, 107.0, 107.25, 107.5, 107.75, 108.0, 108.25, 108.5, 108.75, 109.0, 109.25, 109.5, 109.75, 110.0, 110.25, 110.5, 110.75, 111.0, 111.25, 111.5, 111.75, 112.0, 112.25, 112.5, 112.75, 113.0, 113.25, 113.5, 113.75, 114.0, 114.25, 114.5, 114.75, 115.0, 115.25, 115.5, 115.75, 116.0, 116.25, 116.5, 116.75, 117.0, 117.25, 117.5, 117.75, 118.0, 118.25, 118.5, 118.75, 119.0, 119.25, 119.5, 119.75, 120.0, 120.25, 120.5, 120.75, 121.0, 121.25, 121.5, 121.75, 122.0, 122.25, 122.5, 122.75, 123.0, 123.25, 123.5, 123.75, 124.0, 124.25, 124.5, 124.75, 125.0, 125.25, 125.5, 125.75, 126.0, 126.25, 126.5, 126.75, 127.0, 127.25, 127.5, 127.75, 128.0, 128.25, 128.5, 128.75, 129.0, 129.25, 129.5, 129.75, 130.0, 130.25, 130.5, 130.75, 131.0, 131.25, 131.5, 131.75, 132.0, 132.25, 132.5, 132.75, 133.0, 133.25, 133.5, 133.75, 134.0, 134.25, 134.5, 134.75, 135.0, 135.25, 135.5, 135.75, 136.0, 136.25, 136.5, 136.75, 137.0, 137.25, 137.5, 137.75, 138.0, 138.25, 138.5, 138.75, 139.0, 139.25, 139.5, 139.75, 140.0, 140.25, 140.5, 140.75, 141.0, 141.25, 141.5, 141.75, 142.0, 142.25, 142.5, 142.75, 143.0, 143.25, 143.5, 143.75, 144.0, 144.25, 144.5, 144.75, 145.0, 145.25, 145.5, 145.75, 146.0, 146.25, 146.5, 146.75, 147.0, 147.25, 147.5, 147.75, 148.0, 148.25, 148.5, 148.75, 149.0, 149.25, 149.5, 149.75, 150.0, 150.25, 150.5, 150.75, 151.0, 151.25, 151.5, 151.75, 152.0, 152.25, 152.5, 152.75, 153.0, 153.25, 153.5, 153.75, 154.0, 154.25, 154.5, 154.75, 155.0, 155.25, 155.5, 155.75, 156.0, 156.25, 156.5, 156.75, 157.0, 157.25, 157.5, 157.75, 158.0, 158.25, 158.5, 158.75, 159.0, 159.25, 159.5, 159.75, 160.0, 160.25, 160.5, 160.75, 161.0, 161.25, 161.5, 161.75, 162.0, 162.25, 162.5, 162.75, 163.0, 163.25, 163.5, 163.75, 164.0, 164.25, 164.5, 164.75, 165.0, 165.25, 165.5, 165.75, 166.0, 166.25, 166.5, 166.75, 167.0, 167.25, 167.5, 167.75, 168.0, 168.25, 168.5, 168.75, 169.0, 169.25, 169.5, 169.75, 170.0, 170.25, 170.5, 170.75, 171.0, 171.25, 171.5, 171.75, 172.0, 172.25, 172.5, 172.75, 173.0, 173.25, 173.5, 173.75, 174.0, 174.25, 174.5, 174.75, 175.0, 175.25, 175.5, 175.75, 176.0, 176.25, 176.5, 176.75, 177.0, 177.25, 177.5, 177.75, 178.0, 178.25, 178.5, 178.75, 179.0, 179.25, 179.5, 179.75, 180.0, 180.25, 180.5, 180.75, 181.0, 181.25, 181.5, 181.75, 182.0, 182.25, 182.5, 182.75, 183.0, 183.25, 183.5, 183.75, 184.0, 184.25, 184.5, 184.75, 185.0, 185.25, 185.5, 185.75, 186.0, 186.25, 186.5, 186.75, 187.0, 187.25, 187.5, 187.75, 188.0, 188.25, 188.5, 188.75, 189.0, 189.25, 189.5, 189.75, 190.0, 190.25, 190.5, 190.75, 191.0, 191.25, 191.5, 191.75, 192.0, 192.25, 192.5, 192.75, 193.0, 193.25, 193.5, 193.75, 194.0, 194.25, 194.5, 194.75, 195.0, 195.25, 195.5, 195.75, 196.0, 196.25, 196.5, 196.75, 197.0, 197.25, 197.5, 197.75, 198.0, 198.25, 198.5, 198.75, 199.0, 199.25, 199.5, 199.75, 200.0, 200.25, 200.5, 200.75, 201.0, 201.25, 201.5, 201.75, 202.0, 202.25, 202.5, 202.75, 203.0, 203.25, 203.5, 203.75, 204.0, 204.25, 204.5, 204.75, 205.0, 205.25, 205.5, 205.75, 206.0, 206.25, 206.5, 206.75, 207.0, 207.25, 207.5, 207.75, 208.0, 208.25, 208.5, 208.75, 209.0, 209.25, 209.5, 209.75, 210.0, 210.25, 210.5, 210.75, 211.0, 211.25, 211.5, 211.75, 212.0, 212.25, 212.5, 212.75, 213.0, 213.25, 213.5, 213.75, 214.0, 214.25, 214.5, 214.75, 215.0, 215.25, 215.5, 215.75, 216.0, 216.25, 216.5, 216.75, 217.0, 217.25, 217.5, 217.75, 218.0, 218.25, 218.5, 218.75, 219.0, 219.25, 219.5, 219.75, 220.0, 220.25, 220.5, 220.75, 221.0, 221.25, 221.5, 221.75, 222.0, 222.25, 222.5, 222.75, 223.0, 223.25, 223.5, 223.75, 224.0, 224.25, 224.5, 224.75, 225.0, 225.25, 225.5, 225.75, 226.0, 226.25, 226.5, 226.75, 227.0, 227.25, 227.5, 227.75, 228.0, 228.25, 228.5, 228.75, 229.0, 229.25, 229.5, 229.75, 230.0, 230.25, 230.5, 230.75, 231.0, 231.25, 231.5, 231.75, 232.0, 232.25, 232.5, 232.75, 233.0, 233.25, 233.5, 233.75, 234.0, 234.25, 234.5, 234.75, 235.0, 235.25, 235.5, 235.75, 236.0, 236.25, 236.5, 236.75, 237.0, 237.25, 237.5, 237.75, 238.0, 238.25, 238.5, 238.75, 239.0, 239.25, 239.5, 239.75, 240.0, 240.25, 240.5, 240.75, 241.0, 241.25, 241.5, 241.75, 242.0, 242.25, 242.5, 242.75, 243.0, 243.25, 243.5, 243.75, 244.0, 244.25, 244.5, 244.75, 245.0, 245.25, 245.5, 245.75, 246.0, 246.25, 246.5, 246.75, 247.0, 247.25, 247.5, 247.75, 248.0, 248.25, 248.5, 248.75, 249.0, 249.25, 249.5, 249.75, 250.0, 250.25, 250.5, 250.75, 251.0, 251.25, 251.5, 251.75, 252.0, 252.25, 252.5, 252.75, 253.0, 253.25, 253.5, 253.75, 254.0, 254.25, 254.5, 254.75, 255.0, 255.25, 255.5, 255.75, 256.0, 256.25, 256.5, 256.75, 257.0, 257.25, 257.5, 257.75, 258.0, 258.25, 258.5, 258.75, 259.0, 259.25, 259.5, 259.75, 260.0, 260.25, 260.5, 260.75, 261.0, 261.25, 261.5, 261.75, 262.0, 262.25, 262.5, 262.75, 263.0, 263.25, 263.5, 263.75, 264.0, 264.25, 264.5, 264.75, 265.0, 265.25, 265.5, 265.75, 266.0, 266.25, 266.5, 266.75, 267.0, 267.25, 267.5, 267.75, 268.0, 268.25, 268.5, 268.75, 269.0, 269.25, 269.5, 269.75, 270.0, 270.25, 270.5, 270.75, 271.0, 271.25, 271.5, 271.75, 272.0, 272.25, 272.5, 272.75, 273.0, 273.25, 273.5, 273.75, 274.0, 274.25, 274.5, 274.75, 275.0, 275.25, 275.5, 275.75, 276.0, 276.25, 276.5, 276.75, 277.0, 277.25, 277.5, 277.75, 278.0, 278.25, 278.5, 278.75, 279.0, 279.25, 279.5, 279.75, 280.0, 280.25, 280.5, 280.75, 281.0, 281.25, 281.5, 281.75, 282.0, 282.25, 282.5, 282.75, 283.0, 283.25, 283.5, 283.75, 284.0, 284.25, 284.5, 284.75, 285.0, 285.25, 285.5, 285.75, 286.0, 286.25, 286.5, 286.75, 287.0, 287.25, 287.5, 287.75, 288.0, 288.25, 288.5, 288.75, 289.0, 289.25, 289.5, 289.75, 290.0, 290.25, 290.5, 290.75, 291.0, 291.25, 291.5, 291.75, 292.0, 292.25, 292.5, 292.75, 293.0, 293.25, 293.5, 293.75, 294.0, 294.25, 294.5, 294.75, 295.0, 295.25, 295.5, 295.75, 296.0, 296.25, 296.5, 296.75, 297.0, 297.25, 297.5, 297.75, 298.0, 298.25, 298.5, 298.75, 299.0, 299.25, 299.5, 299.75, 300.0, 300.25, 300.5, 300.75, 301.0, 301.25, 301.5, 301.75, 302.0, 302.25, 302.5, 302.75, 303.0, 303.25, 303.5, 303.75, 304.0, 304.25, 304.5, 304.75, 305.0, 305.25, 305.5, 305.75, 306.0, 306.25, 306.5, 306.75, 307.0, 307.25, 307.5, 307.75, 308.0, 308.25, 308.5, 308.75, 309.0, 309.25, 309.5, 309.75, 310.0, 310.25, 310.5, 310.75, 311.0, 311.25, 311.5, 311.75, 312.0, 312.25, 312.5, 312.75, 313.0, 313.25, 313.5, 313.75, 314.0, 314.25, 314.5, 314.75, 315.0, 315.25, 315.5, 315.75, 316.0, 316.25, 316.5, 316.75, 317.0, 317.25, 317.5, 317.75, 318.0, 318.25, 318.5, 318.75, 319.0, 319.25, 319.5, 319.75, 320.0, 320.25, 320.5, 320.75, 321.0, 321.25, 321.5, 321.75, 322.0, 322.25, 322.5, 322.75, 323.0, 323.25, 323.5, 323.75, 324.0, 324.25, 324.5, 324.75, 325.0, 325.25, 325.5, 325.75, 326.0, 326.25, 326.5, 326.75, 327.0, 327.25, 327.5, 327.75, 328.0, 328.25, 328.5, 328.75, 329.0, 329.25, 329.5, 329.75, 330.0, 330.25, 330.5, 330.75, 331.0, 331.25, 331.5, 331.75, 332.0, 332.25, 332.5, 332.75, 333.0, 333.25, 333.5, 333.75, 334.0, 334.25, 334.5, 334

DIVINE WORD UNIVERSITY
OF TACLOBAN

OFFICE OF THE REGISTRAR

Tacloban City

Official Transcript of Record

Name Miss Ray R. Serato

Sex Female

Permanent Address Mahaplag, Leyte

Date of birth: Jan. 6, 1964

Place: Baybay, Leyte

Entrance Data: Form 138-A & NCEE-71% 1979

Course: Chemical Engineering

SUBJECTS

(With Descriptive Titles)

GRADES

Final	Re-Ex
-------	-------

Credits

DIVINE WORD UNIVERSITY
OF TACLOBAN

RECORD OF CANDIDATE FOR GRADUATION

College of

Candidate for Title / Degree

Major _____ Minor _____

Date of Graduation _____

PRELIMINARY EDUCATION

COMPLETED: NAME OF SCHOOL YEAR

Primacy

Intermediate

High School

Credits by Groups

DIVINE WORD UNIVERSITY OF TACLOBAN-Tacloban City		Final	Re-Ex	Credit
ChE-1	<u>1st Semester 1980-81</u>	#12/	p256	
Math 113	Plane Trigonometry	3.0		3
Math 115	College Algebra	3.0		5
Chem 101	Principles of Chemistry	inc	3.0	5
Theo 1	Intro to Christianity	1.7		(3)
Philo 11	L o g i c	1.8		3
Hist 17	Rizal Course	2.3		3
Po Sci 22	Phil. Govt. & the New Const.	1.6		3
Econ 37	Land Reform and Taxation	3.0		3
ChE-1	<u>2nd Semester 1980-81</u>	#27/	p250	
Chem 102	Principles of Chemistry 11	inc	3.0	5
Theo 2	The Commandments & Sacraments	1.5		(3)
PE 2	Fund. in Rhythmic Activities	1.5		(1)
Span 1	Elementary Spanish	-		-
Math 124	Analytic Geometry	dr		0
Human 1	Humanities 1	2.5		3
Engl 1	Grammar & Composition 1	1.6		3
F-19/MT-1	<u>1st Semester 1981-82</u>	#55/	p287	
PE 1	Self Testing Activities	2.0		(1)
Engl 2	Grammar & Composition 2	1.5		3
Pili 11	Sining ng Pakikipagtalastasan 1	2.0		3
Span 1	Elementary Spanish	2.0		3
Chem 10	Gen. & Inorg. Chemistry 1	1.8		5
Zoo 1	General Zoology	2.5		5
Psych 11	General Psychology	1.8		3
Theo 13	The Bible	1.8		(3)
F-19/MT-2	<u>2nd Semester 1981-82</u>	#31/	p1864	
PE 4	Rect'l. Actv. w/ emphasis on Methods and Materials	1.1		(1)
Engl 51	Phil. Lit. in English	2.5		3
Pili 12	Sining ng Pakikipagtalastasan 2	1.8		3
Bot 1	General Botany	1.8		5

[illegible]

GRADING SYSTEM:

1 (100-95) excellent; 1.1-1.5 (94-90) very good; 1.6-2.5 (89-80) good; 2.6-3 (79-75) fair; 5 (74-50) failure; Inc.-Incomplete.

CREDIT:

CREDIT: One unit of credit is one hour lecture or 3 hours of laboratory work each week for one semester of 18 weeks.

REMARKS: VALID FOR SOUTHWESTERN UNIVERSITY

BRO. NESTOR C. PUEBLOS, SVD
Vice-President for Finance

2. ANSELMO P. BUGAL

Not valid without the dry seal and unless countersigned by the Vice-President
for Finance.

Prepared by terlene cromente

Checked by angie padayao

Total credits presented for graduation

CERTIFICATION

I hereby certify that the foregoing records of _____ candidate for graduation, have been verified by me and that true copies substantiating the same are kept in the files of our University.

BENJAMIN A. ABELLANA
UNIVERSITY REGISTRAR

Evaluated &
Checked by

DIVINE WORD UNIVERSITY
OF TACLOBAN

OFFICE OF THE REGISTRAR

Tacloban City

Official Transcript of Record

Name Miss Gay R. Serato

Sex Female

Permanent Address

Date of birth: _____ Place: _____

Entrance Data:

Course: Med.Tech.

DIVINE WORD UNIVERSITY
OF TACLOBAN

RECORD OF CANDIDATE FOR GRADUATION

College of

Candidate for Title / Degree

Major _____ Minor _____

Date of Graduation

PRELIMINARY EDUCATION

[illegible]

Primary

Intermediate

High School

Page 3	S U B J E C T S (With Descriptive Titles)	G R A D E S		Credits	Credits by Groups												
		Final	Re-Ex		1	2	3	4	5	6	7	8	9	10	11		
F-19/MT-3	<u>1st Semester 1984-85</u>	#49/p															
MT 31	Microbiology	2.6		5													
MT 65A	Clinical Chemistry	3.0		3													
MT 51	Clinical Microscopy	2.8		3													
EL/MT-3	<u>2nd Semester 1984-85</u>	#28/p1020															
MT 35	Immunology, Serology and Immunohematology	2.7		4													
MT 65b	Clinical Chemistry b	Inc		-													
MT 41	Hematology	2.6		5													

SOUTHWESTERN UNIVERSITY
VILLA SANAR, CEBU CITY

CERTIFIED TRUE COPY
FROM THE ORIGINAL

SOUTHWESTERN UNIVERSITY
VILLA - BAR, CEBU CITY

CERTIFIED TRUE COPY
FROM THE ORIGINAL

GRADING SYSTEM:

1 (100-95) excellent; 1.1-1.5 (94-90) very good; 1.6-2.5 (89-80) good; 2.6-3 (79-75) fair; 5 (74-50) failure; Inc.-Incomplete.

CREDIT:

CREDIT: One unit of credit is one hour lecture or 3 hours of laboratory work each week for one semester of 18 weeks.

REMARKS: VALID FOR SOUTHWESTERN UNIVERSITY

BRO. NESTOR C. PUEBLOS, SVD
Vice-President for Finance

Dr. ANSELMO P. BUGAL

Not valid without the dry seal and unless countersigned by the Vice-President
for Finance.

Prepared by merlene cromente

Checked by angie padayao

Total credits presented for graduation

CERTIFICATION:

I hereby certify that the foregoing records

of _____ candidate for graduations, have been verified by me and that true copies substantiating the same are kept in the files of our University.

BENJAMIN A. ABLEMAN
UNIVERSITY REGISTRAR

Evaluated &
Checked by