

Republic of the Philippines VISAYAS STATE UNIVERSITY Visca, Baybay City, Leyte

PURCHASE REQUEST

Dept./Office: DOH

PR No.: TF-2022-03-00182

Date: 03-04-2022

Section/End-User: Catherine C. Arradaza

Category: Hardwares

Duration: 2021-12-01

Funding Source: Trust Fund

Project Title/Code: 20201050-1.95

to 2022-11-30

| # | Item Description | Unit | Qty | Unit Cost | PAR/ICS | Total Cost |
|---|--|---------|--|------------------|--|------------------------|
| 1 | Abrasive Paper, Sand Paper Grit #120, 9" x 11" | sheet | 50 | 20.00 | | 1,000.00 |
| | Specification: ?Fine Sanding, Waterproof, Good Quality | ty | 15 | seo oni | | Superior to the Bright |
| 2 | Angle Bar, 1/4"(thickness) x 1-1/2" x 1-1/2" x 20', standard | length | 190 | 1,000.00 | | 190,000.0 |
| | Specification: Premium Grade | o den L | 17 | 460.00 | November of the minutes are an incident that | |
| 3 | Bulb, LED, 9W | piece | 10 | 150.00 | | 1,500.0 |
| 4 | Cement, Portland | bag | 400 | 260.00 | | 104,000.0 |
| | Specification: | | Contract Con | AND AND | | 8,000.0 |
| | 01-4-4- T. O.P. I. I.D. IV. I. | | | | | |
| | ?Interior Type Cylindrical Door Knob Lo ?Good Quality | ockset | | | | |
| | ?Good Quality | ockset | 17 | 450 00 | y ezeropostaliste error ez e e e | |
| 6 | ?Good Quality Electrical, 2 gang Outlet, (Flush type) | set | 19 | 200.00 | | 3,800.0 |
| 6 | ?Good Quality Electrical, 2 gang Outlet, (Flush | | 19 | 200.00 | | 3,800.0 |
| 6 | ?Good Quality Electrical, 2 gang Outlet, (Flush type) Specification: Good Quality, Durable Eiber Reinforced Cement Board | | 19 | 200.00 450.00 | | |
| | ?Good Quality Electrical, 2 gang Outlet, (Flush type) Specification: Good Quality, Durable Fiber Reinforced Cement Board, | set | | 1,311,40 | | |
| | ?Good Quality Electrical, 2 gang Outlet, (Flush type) Specification: Good Quality, Durable Fiber Reinforced Cement Board, Lightweight, 4' x 8' Specification: Premium Quality | set | | 1,311,40 | | 72,000.0 |
| 7 | ?Good Quality Electrical, 2 gang Outlet, (Flush type) Specification: Good Quality, Durable Fiber Reinforced Cement Board, Lightweight, 4' x 8' Specification: Premium Quality | set | 160 | 450.00 | | 72,000.0 |
| 7 | ?Good Quality Electrical, 2 gang Outlet, (Flush type) Specification: Good Quality, Durable Fiber Reinforced Cement Board, Lightweight, 4' x 8' Specification: Premium Quality G.I. Tie Wire #16 Specification: | set | 160 | 450.00 | | 72,000.0 4,050.0 |

| • | Specification: | | | | |
|----|--|----------------|--|--|---|
| | Heavy Duty, Good Quality | | | | |
| | Nails, Common Wire, 1" | kl | - | | |
| , | Specification: | KI | 7 | 80.00 | 560.0 |
| | Smooth Shank | | | | |
| 12 | Nails, Common Wire, 4" | I to I | 45 T | | |
| | Specification: | kl | 15 | 70.00 | 1,050.0 |
| | Smooth Shank | | ~ | | |
| 13 | Paint Brush, Roller with handle and PVC Tray, 9" | piece | 5 | 350.00 | 1,750.0 |
| | Specification: | r market makes | | | |
| | Durable, Good Quality | | | | |
| 14 | Paint Thinner | gallon | 8 | 350.00 | 2,800.0 |
| | Specification: | 19 | | 000.00 | 2,800.0 |
| | Premium Quality | | | | |
| 15 | Paint, Acrylic Base Latex, White, | gallen | sure to the last the company of | Philipping States and a second second | ment statement of the statement of |
| | flat | gallon | 6 | 700.00 | 4,200.0 |
| | Specification: | | | the state of the s | and the second second second second second |
| 16 | Premium Quality Paint | | | | |
| 16 | Paint, Flat wall Enamel, White | gallon | 15 | 600.00 | 9,000.0 |
| | Specification: | 0.00% | \$0.2 | 20/20/08/9 | The second second |
| 47 | Premium Quality Paint | - | STREET, STREET | | Statement and Landson Landson |
| 17 | Paint, Metal Primer, Red Oxide | gallon | 10 | 450.00 | 4,500.0 |
| | Specification: Premium Quality | | the second | | |
| 10 | | | 30 | 200.00 | the same of the same because a special con- |
| 10 | Paint, TTC, Raw Sienna, Latex Specification: | L | 15 | 150.00 | 2,250.00 |
| | Premium Quality | | | | • |
| 19 | Paint, TTC, Thalo Blue, Latex | T #: T | | | the second section of the second section of |
| | Specification: | liter | 15 | 500.00 | 7,500.00 |
| | Premium Quality | | | | A STATE OF THE PARTY AND |
| 20 | Paint, TTC, Thalo Green, Latex | | | | The later and |
| | Specification: | L | 15 | 500.00 | 7,500.00 |
| | Premium Quality | | | and the second second second second second second | Providence - Charles and Charles |
| 24 | Plywood, Marine, 1/4"(thickness) x | | | Funds Ambada 177 | Will y |
| 21 | 4' x 8' | piece | 40 | 450.00 | 18,000.00 |
| | Specification: | | | | 18,000.00 |
| | Standard, Good Quality | | Ter many | | A Market of States and Market States |
| 22 | Plywood, Marine, 3/4"(thickness) x 4' x 8' | piece | 20 | 1,300.00 | 26,000.00 |
| | Specification: | | TOTAL STATE | | 15,000,00 |
| | Standard, Good Quality | | | | |
| 23 | Stainless Steel Sink | piece | 3 | 500.00 | |
| | Specification: | | | 330.00 | 1,500.00 |
| | sizes | | | | |
| | | | | | |
| | 56 cm x 37 cm | | | | |
| | 79 cm x 42 cm (2 pieces) | | | | |

| _ | urpose: For upgrading of Horticulture to hecked by: | J** | re laboratory | Funds Available: | FREDDY R BELLO |
|----|--|-------------|---------------|--------------------------------|----------------------------------|
| 29 | Windows, 2.13m x 3.6m Fixed slide aluminum with bronze glass white, including installation | s, set | 1 | 4,500.00 | 4,500.0 706,860.0 |
| | Specification: Premium Quality | | | | |
| 28 | Working Load Limit: 2,250 lbs. Body L 34.72" Turnbuckle Size: 5/8" Welding Rod, E-6010, 1/8" | ength : 12" | Material and | Finished: Galvanized Steel Ler | ngth Closed: 21.47" Length Open: |
| 27 | Turn Buckles, 5/8"(16mm), Hook and Eye, Specification: | piece | 50 | 200.00 | 10,000.0 |
| | Specification: Standard Grade | | | | |
| 26 | Steel Bar, Round (plain), 16mm x 6m | length | 50 | 300.00 | 15,000.0 |
| | Specification: ASTM / Grade 33 Structural | | | | |
| ٩ | Steel Bar, Deformed(Corrugated),12mm x 6m | length | 310 | 330.00 | 102,300.0 |
| | ?0.616 kg/M PNS 230 ?ASTM / Grade 33 Structural | | | | |
| S | eformed(Corrugated),10mm x 6m pecification: | length | 430 | 220.00 | 94,600.0 |