

SCAN HERE



PR-2023-0823-140247



Republic of the Philippines  
**VISAYAS STATE UNIVERSITY**  
 Visca, Baybay City, Leyte

## PURCHASE REQUEST

PPMP No. : 23-5-517-2024-7-0-3

PR No.: GF-2023-08-01993

Date: 08-23-2023

Dept./Office: NCRC-V

Category: Medical & Dental  
 Supplies & Equipment

Section/End-User: Pamela H. Urdaneta

Project Title/Code: NCRC A.III.C 2024

Funding Source: General Fund - MOOE

| Item # | Item Description              | Unit            | Qty | Unit Cost | PAR/ICS | Total Cost |
|--------|-------------------------------|-----------------|-----|-----------|---------|------------|
| 1      | Gauze Pad 4x8x8 Ply (sterile) | box of 10 packs | 1   | 600.00    |         | 600.00     |
| 2      | Plaster Micropore 3mm         | box of 50's     | 1   | 1,000.00  |         | 1,000.00   |
| TOTAL  |                               |                 |     |           |         | 1,600.00   |

Purpose: office use

|                                                    |                           |                                                 |                         |
|----------------------------------------------------|---------------------------|-------------------------------------------------|-------------------------|
| Checked by:<br><br><b>PHOEBE LYNN B. CALUNGSOD</b> |                           | Funds Available:<br><br><b>ALICIA M. FLORES</b> |                         |
| TWG - Medical & Dental Supplies & Equipment        |                           | HEAD, BUDGET OFFICE                             |                         |
| Signature:                                         | Requested by:<br>         | Noted by:<br>                                   | Approved by:<br>        |
| Printed Name:                                      | <b>PAMELA H. URDANETA</b> | <b>MARISEL A. LEORNA</b>                        | <b>EDGARDO E. TULIN</b> |
| Designation:                                       | END USER                  | UNIT HEAD, PROJECT LEADER                       | PRESIDENT, VSU          |