

Republic of the Philippines VISAYAS STATE UNIVERSITY

Visca, Baybay City, Leyte

PURCHASE REQUEST

PPMP No.: PPMP-2025-050925-1163

PR No.: STF-2025-05-00653

Date: 05-21-2025

Dept./Office: PPO

Outlay

Section/End-User: Mario C. Bantugan

Category: Construction

and Electrical Supplies

Funding Source: Special Trust Fund - Capital

Project Title/Code: Installation of Automatic Fire

Sprinkler System and Fire Detection and Alarm System

item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
. 1	1 VSU Staff Dormitory (IGP Dorm)	lot	1	859,409.50		859,409.50

Specification:

AUTOMATIC FIRE SPRINKLER SYSTEM

General Requirements

Mobilization/Demobilization

Miscellaneous Expenses

Tools and equipment Rentals

Fire Code Fees

Pipes

B.I. Threaded Pipes 2-1/2" x 6m, sch. 40

B.I. Threaded Pipes 2" x 6m, sch. 40

B.I. Threaded Pipes 1-1/2" x 6m, sch. 40

B.I. Threaded Pipes 1" x 6m, sch. 40

Fittings

Sight Glass 1"

Air Relief Valve 1"

Pressure Relief Valve (set at 150 psi)

Pressure Guage

Water Flow Switch 2-1/2"ø (Water Flow Sensor)

Ball Valve / Butterfly Valve 2 1/2"ø

Ball Valve / Butterfly Valve 2"ø

Check Valve 2 1/2"ø Brass Check Valve 2"ø Brass Swing Valve 2 1/2"ø Brass Swing Valve 2"ø Brass Flexible Connector 2"ø Flange 2 1/2"ø Flange 2" ø Flange 1 1/2" ø G.I. Threaded Coupling Reducer 2 1/2" ø x 2" ø G.I. Treaded Tee Reducer 2" ø x 1" ø G.I. Threaded Coupling Reducer 2"ø x 1 1/2"ø G.I. Threaded Elbow 2 1/2"ø x 90° G.I. Threaded Tee 2 1/2" ø x 2 1/2" ø G.I. Threaded Tee 2"ø x 2"ø G.I Threaded Elbow 2"ø x 90° G.I Threaded Elbow 1"ø x 90° G.I Threaded Tee 1"ø x 90° G.I Threaded Coupling Reducer 1"ø x 1/2"ø Rubber Gasket Pad Accessories Sprinkler Head Dyna Bolt 1/2" Threaded Rod 10mm Bolt and Nut 1/2" 10mm Nut w/ washer Welding Rod 6013 2.5mm Angle Bar 3/16"x 1 1/2 x 6m Pump Fire Pump 15 HP w/ Jockey Pump 5 HP

Control Panel for Motor Fire Pump
Control Panel for Jockey Pump

Siamese 2" ø x 2 ½ " ø x 2 ½ "ø

Fire Department Connection

Testing Connection 21/2" ø x 2 1/2 " ø x 2 1/2 "ø

Fire Hose Cabinet w/ Complete Accessories

FIRE DETECTION AND ALARM SYSTEM

Alarm and Detector Devices

Smoke Detector Addressable

Alarm Switch Addressable

Alarm Bell Addressable

Control Panel 1 Loop Addressable

Accessories -

PVC Pipe - Electrical Conduit 1/2" x 3m

PVC Pipe - Electrical Conduit 3/4" x 3m

PVC Pipe - Electrical Conduit 1" x 3m

Flexible Electrical Conduit 1*

PVC Pipe - Electrical Conduit Elbow 1/2"

PVC Pipe - Electrical Conduit Elbow 3/4"

PVC Pipe - Electrical Conduit Elbow 1"

PVC Pipe - Junction Box Adapter W/Nut 1/2"

PVC Pipe - Junction Box Adapter W/Nut 3/4*

Bolt and Nut 5mm

Junction Box w/ Cover


PVC Pipe - Wall Clip

Screw With Tox 6mm

Cable Ties 5mm x 300mm

TF Wire #16 Duplex

Specification:		
AUTOMATIC FIRE SPRINKLER SYSTEM		
General Requirements		
Mobilization/Demobilization		
Miscellaneous Expenses		
Tools and equipment Rentals		
Fire Code Fees		
Pipes		
B.I. Threaded Pipes 2-1/2" x 6m, sch. 40		
B.I. Threaded Pipes 2" x 6m, sch. 40		
B.I. Threaded Pipes 1-1/2" x 6m, sch. 40		
B.I. Threaded Pipes 1" x 6m, sch. 40		
Fittings		
Sight Glass 1"		
Air Relief Valve 1"		
Pressure Relief Valve (set at 150 psi)		
Pressure Guage		
Water Flow Switch 3"ø (Water Flow Sensor)		
Ball Valve / Butterfly Valve 2 ½"ø		
Ball Valve / Butterfly Valve 2"ø		
Check Valve 2 ½"ø Brass		
Check Valve 2"ø Brass		
Flexible Connector 2"ø		
Flange 2 ½"ø		
Flange 2" ø		
Flange 1 ½" ø		
G.I. Threaded Coupling Reducer 2 1/2" ø x 2" ø		
G.i. Treaded Tee Reducer 2" ø x 1" ø		
G.I. Threaded Coupling Reducer 2"ø x 1 ½"ø		
G.I. Threaded Elbow 2 ½"ø x 90°		



Accessories

PVC Pipe - Electrical Conduit 1/2" x 3m

PVC Pipe - Electrical Conduit 3/4" x 3m

PVC Pipe - Electrical Conduit 1" x 3m

Flexible Electrical Conduit 1"

PVC Pipe - Electrical Conduit Elbow 1/2"

PVC Pipe - Electrical Conduit Elbow 3/4*

PVC Pipe - Electrical Conduit Elbow 1"

PVC Pipe - Junction Box Adapter W/Nut 1/2"

PVC Pipe - Junction Box Adapter W/Nut 3/4"

Bolt and Nut 5mm

Junction Box w/ Cover

PVC Pipe - Wall Clip

Screw With Tox 6mm

Cable Ties 5mm x 300mm

TF Wire #16 Duplex

				,	
3	3 Colleg of Forestry and Environmental Science	lot	1	2,500,133.00	2,500,133.00

Specification:

AUTOMATIC FIRE SPRINKLER SYSTEM

General Requirements

Mobilization/Demobilization

Miscellaneous Expenses

Tools and equipment Rentals

Fire Code Fees

Pipes

- B.I. Threaded Pipes 2-1/2" x 6m, sch. 40
- B.I. Threaded Pipes 2" x 6m, sch. 40
- B.I. Threaded Pipes 1-1/2" x 6m, sch. 40
- B.I. Threaded Pipes 1" x 6m, sch. 40

Fittings Sight Glass 1" Air Relief Valve 1" Pressure Relief Valve (set at 150 psi) Pressure Guage Water Flow Switch 2-1/2"ø (Water Flow Sensor) Ball Valve / Butterfly Valve 2 1/2"ø Ball Valve / Butterfly Valve 2"ø Check Valve 2 1/2" ø Brass Check Valve 2"ø Brass Swing Valve 2 1/2" ø Brass Swing Valve 2"ø Brass Flexible Connector 2"ø Flange 2 1/2"ø Flange 2" ø Flange 1 1/2" ø G.I. Threaded Coupling Reducer 2 1/2" ø x 2" ø G.I. Treaded Tee Reducer 2" ø x 1" ø G.I. Threaded Coupling Reducer 2"ø x 1 1/2"ø G.I. Threaded Elbow 2 1/2"ø x 90° G.I. Threaded Tee 2 1/2"ø x 2 1/2"ø G.I. Threaded Tee 2"ø x 2"ø G.I Threaded Elbow 2"ø x 90° G.I Threaded Elbow 1"ø x 90° G.I Threaded Tee 1"ø x 90° G.I Threaded Coupling Reducer 1"ø x 1/2"ø Rubber Gasket Pad Accessories Sprinkler Head

Dyna Bolt 1/2" Threaded Rod 10mm Bolt and Nut 1/2" 10mm Nut w/ washer Welding Rod 6013 2.5mm Angle Bar 3/16"x 1 1/2 x 6m Pump Fire Pump 15 HP w/ Jockey Pump 5 HP Control Panel for Motor Fire Pump Control Panel for Jockey Pump Fire Department Connection Siamese 2" ø x 2 ½ " ø x 2 ½ "ø Testing Connection 2½" ø x 2 ½ " ø x 2 ½ "ø Fire Hose Cabinet w/ Complete Accessories FIRE DETECTION AND ALARM SYSTEM Alarm and Detector Devices Smoke Detector Addressable Alarm Switch Addressable Alarm Bell Addressable Control Panel 2 Loops Addressable Accessories PVC Pipe - Electrical Conduit 1/2" x 3m PVC Pipe - Electrical Conduit 3/4" x 3m PVC Pipe - Electrical Conduit 1" x 3m Flexible Electrical Conduit 1" PVC Pipe - Electrical Conduit Elbow 1/2" PVC Pipe - Electrical Conduit Elbow 3/4" PVC Pipe - Electrical Conduit Elbow 1"

PVC Pipe - Junction Box Adapter W/Nut 1/2"

PVC Pipe - Junction Box Adapter W/Nut 3/4"

Bolt and Nut 5mm

Junction Box w/ Cover

PVC Pipe - Wall Clip

Screw With Tox 6mm

Cable Ties 5mm x 300mm

TF Wire #16 Duplex

4	4 College of Veterinary Medicine	lot	1	2,147,195.00	2,1	47,195.00
---	----------------------------------	-----	---	--------------	-----	-----------

Specification:

AUTOMATIC FIRE SPRINKLER SYSTEM

General Requirements

Mobilization/Demobilization

Miscellaneous Expenses

Tools and equipment Rentals

Fire Code Fees

Pipes

B.I. Threaded Pipes 2-1/2" x 6m, sch. 40

B.I. Threaded Pipes 2" x 6m, sch. 40

B.I. Threaded Pipes 1-1/2" x 6m, sch. 40

B.I. Threaded Pipes 1" x 6m, sch. 40

Fittings

Sight Glass 1"

Air Relief Valve 1"

Pressure Relief Valve (set at 150 psi)

Pressure Guage

Water Flow Switch 2-1/2"ø (Water Flow Sensor)

Ball Valve / Butterfly Valve 2 1/2"ø

Ball Valve / Butterfly Valve 2"ø

Check Valve 2 1/2"ø Brass

Check Valve 2"ø Brass

Swing Valve 2 1/2" ø Brass Swing Valve 2"ø Brass Flexible Connector 2"ø Flange 2 1/2"ø Flange 2" ø Flange 1 1/2" ø G.I. Threaded Coupling Reducer 2 1/2" ø x 2" ø G.I. Treaded Tee Reducer 2" ø x 1" ø G.I. Threaded Coupling Reducer 2"ø x 1 1/2"ø G.I. Threaded Elbow 2 1/2"ø x 90° G.I. Threaded Tee 2 1/2" ø x 2 1/2" ø G.I. Threaded Tee 2"ø x 2"ø G.I Threaded Elbow 2"ø x 90° G.I Threaded Elbow 1"ø x 90° G.I Threaded Tee 1"ø x 90° G.I Threaded Coupling Reducer 1"ø x 1/2"ø Rubber Gasket Pad Accessories Sprinkler Head Dyna Bolt 1/2" Threaded Rod 10mm Bolt and Nut 1/2" 10mm Nut w/ washer Welding Rod 6013 2.5mm Angle Bar 3/16"x 1 1/2 x 6m Pump Fire Pump 15 HP w/ Jockey Pump 5 HP Control Panel for Motor Fire Pump Control Panel for Jockey Pump

Fire Department Connection Siamese 2" ø x 2 1/2 " ø x 2 1/4 "ø Testing Connection 2½" ø x 2 ½ " ø x 2 ½ "ø Fire Hose Cabinet w/ Complete Accessories FIRE DETECTION AND ALARM SYSTEM Alarm and Detector Devices Smoke Detector Addressable Alarm Switch Addressable Alarm Bell Addressable Control Panel 2 Loops Addressable Accessories PVC Pipe - Electrical Conduit 1/2" x 3m PVC Pipe - Electrical Conduit 3/4" x 3m PVC Pipe - Electrical Conduit 1" x 3m Flexible Electrical Conduit 1" PVC Pipe - Electrical Conduit Elbow 1/2" PVC Pipe - Electrical Conduit Elbow 3/4" PVC Pipe - Electrical Conduit Elbow 1" PVC Pipe - Junction Box Adapter W/Nut 1/2" PVC Pipe - Junction Box Adapter W/Nut 3/4" Bolt and Nut 5mm Junction Box w/ Cover PVC Pipe - Wall Clip Screw With Tox 6mm Cable Ties 5mm x 300mm TF Wire #16 Duplex 5 Department of Mathematics, 5 Physics, Statistics, Graduate lot 3,640,840.00 3,640,840.00 School Specification: AUTOMATIC FIRE SPRINKLER SYSTEM

General Requirements
Mobilization/Demobilization
Miscellaneous Expenses
Tools and equipment Rentals
Fire Code Fees
Pipes
B.I. Threaded Pipes 3" x 6m, sch. 40
B.I. Threaded Pipes 2-1/2" x 6m, sch. 40
B.I. Threaded Pipes 2" x 6m, sch. 40
B.I. Threaded Pipes 1-1/2" x 6m, sch. 40
B.I. Threaded Pipes 1" x 6m, sch. 40
Fittings
Sight Glass 1"
Air Relief Valve 1"
Pressure Relief Valve (set at 150 psi)
Pressure Guage
Water Flow Switch 3"ø (Water Flow Sensor)
Ball Valve / Butterfly Valve 2 ½"ø
Ball Valve / Butterfly Valve 2 ^m ø
Check Valve 3"ø Brass
Check Valve 2*ø Brass
Swing Valve 3"ø Brass
Swing Valve 2"ø Brass
Flexible Connector 2"ø
Flange 3"ø
Flange 21/2" ø
Flange 2" ø
Flange 1 ½" ø
G.I. Threaded Coupling Reducer 2 ½" ø x 2" ø

- G.I. Treaded Tee Reducer 2" ø x 1" ø
- G.i. Threaded Coupling Reducer 2"ø x 1 1/2"ø
- G.I. Threaded Elbow 2 1/2" ø x 90°
- G.I. Threaded Tee 3"ø x 3"ø
- G.I. Threaded Tee 2 1/2"ø x 2 1/2"ø
- G.I. Threaded Tee 2"ø x 2"ø
- G.I Threaded Elbow 2"ø x 90°
- G.I Threaded Elbow 1"ø x 90°
- G.I Threaded Tee 1"ø x 90°
- G.I Threaded Coupling Reducer 1"ø x 1/2"ø

Rubber Gasket Pad

Accessories

Sprinkler Head

Dyna Bolt 1/2"

Threaded Rod 10mm

Bolt and Nut 1/2"

10mm Nut w/ washer

Welding Rod 6013 2.5mm

Angle Bar 3/16"x 1 1/2 x 6m

Pump

Fire Pump 25 HP w/ Jockey Pump 5 HP

Control Panel for Motor Fire Pump

Control Panel for Jockey Pump

Fire Department Connection

Siamese 2 1/2 " ø x 2 1/2 " ø x 2 1/2 "ø

Testing Connection 21/2" ø x 2 1/2 " ø x 2 1/2 "ø

Fire Hose Cabinet w/ Complete Accessories

FIRE DETECTION AND ALARM SYSTEM

Alarm and Detector Devices

Smoke Detector Addressable Alarm Switch Addressable Alarm Bell Addressable Control Panel 2 Loops Addressable Accessories PVC Pipe - Electrical Conduit 1/2" x 3m PVC Pipe - Electrical Conduit 3/4" x 3m PVC Pipe - Electrical Conduit 1" x 3m Flexible Electrical Conduit 1" PVC Pipe - Electrical Conduit Elbow 1/2" PVC Pipe - Electrical Conduit Elbow 3/4* PVC Pipe - Electrical Conduit Elbow 1" PVC Pipe - Junction Box Adapter W/Nut 1/2" PVC Pipe - Junction Box Adapter W/Nut 3/4" Bolt and Nut 5mm Junction Box w/ Cover PVC Pipe - Wall Clip Screw With Tox 6mm Cable Ties 5mm x 300mm TF Wire #16 Duplex

6 Department of Agronomy and Department of Soil Science	lot	1	2,342,654.50		2,342,654.50
---	-----	---	--------------	--	--------------

Specification:

AUTOMATIC FIRE SPRINKLER SYSTEM

General Requirements

Mobilization/Demobilization

Miscellaneous Expenses

Tools and equipment Rentals

Fire Code Fees

Pipes

B.I. Threaded Pipes 2-1/2" x 6m, sch. 40 B.I. Threaded Pipes 2" x 6m, sch. 40 B.I. Threaded Pipes 1-1/2" x 6m, sch. 40 B.I. Threaded Pipes 1" x 6m, sch. 40 **Fittings** Sight Glass 1" Air Relief Valve 1" Pressure Relief Valve (set at 150 psi) Pressure Guage Water Flow Switch 2-1/2"ø (Water Flow Sensor) Ball Valve / Butterfly Valve 2 1/2" ø Ball Valve / Butterfly Valve 2"ø Check Valve-2 1/2" ø Brass Check Valve 2"ø Brass Swing Valve 2 1/2" ø Brass Swing Valve 2*ø Brass Flexible Connector 2"ø Flange 2 1/2"ø Flange 2" ø Flange 1 1/2" ø G.I. Threaded Coupling Reducer 2 1/2" ø x 2" ø G.I. Treaded Tee Reducer 2" ø x 1" ø G.I. Threaded Coupling Reducer 2"ø x 1 1/2"ø G.I. Threaded Elbow 2 1/2"ø x 90° G.I. Threaded Tee 2 1/2" ø x 2 1/2" ø G.I. Threaded Tee 2"ø x 2"ø G.I Threaded Elbow 2"ø x 90° G.I Threaded Elbow 1"ø x 90° G.I Threaded Tee 1"ø x 90°

G.I Threaded Coupling Reducer 1"ø x 1/2"ø Rubber Gasket Pad Accessories Sprinkler Head Dyna Bolt 1/2" Threaded Rod 10mm Bolt and Nut 1/2" 10mm Nut w/ washer Welding Rod 6013 2,5mm Angle Bar 3/16"x 1 1/2 x 6m Pump Fire Pump 15 HP w/ Jockey Pump 5 HP Control Panel for Motor Fire Pump Control Panel for Jockey Pump **Fire Department Connection** Siamese 2" ø x 2 1/2 " ø x 2 1/2 "ø Testing Connection 2½" ø x 2 ½ * ø x 2 ½ *ø Fire Hose Cabinet w/ Complete Accessories FIRE DETECTION AND ALARM SYSTEM Alarm and Detector Devices Smoke Detector Addressable Alarm Switch Addressable Alarm Bell Addressable Control Panel 2 Loops Addressable Accessories PVC Pipe - Electrical Conduit 1/2" x 3m PVC Pipe - Electrical Conduit 3/4" x 3m PVC Pipe - Electrical Conduit 1" x 3m Flexible Electrical Conduit 1"

PVC Pipe - Electrical Conduit Elbow 1/4"

PVC Pipe - Electrical Conduit Elbow 3/4"

PVC Pipe - Electrical Conduit Elbow 1"

PVC Pipe - Junction Box Adapter W/Nut 1/4"

PVC Pipe - Junction Box Adapter W/Nut 3/4"

Bolt and Nut 5mm

Junction Box w/ Cover

PVC Pipe - Wall Clip

Screw With Tox 6mm

Cable Ties 5mm x 300mm

TF Wire #16 Duplex

TOTAL

Purpose: FIRE ALARM

12,800,000.00 Funds Available: Checked by: ŁIŃT C. SARVIDA TWG - Construction and Electrical Supplies Prepared by: Noted by: Approved by: Signature: Mario C. BAN MARKON G. BURLAS PROSE IVY G. YEPES Printed Name: UNIT HEAD, PROJECT LEADER PRESIDENT, VSU Designation: