

Republic of the Philippines VISAYAS STATE UNIVERSITY Visca, Baybay City, Leyte

PURCHASE REQUEST

195, 210

PR No.: TF-2022-03-00178

Date: 03-05-2022

Category: Construction

Duration: 2021-12-01

and Electrical Supplies

to

Project Title/Code: 20201050-1.95

2022-11-30

Funding Source: Trust Fund

Section/End-User: Catherine C. Arradaza

Dept./Office: DOH

Item	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	Ceiling Socket, 4" x 4"	pcs	10	60.00		600.00
2	Electrical Panel Board Dead Front 2 poles, (bolt on type)	set	1	20,000.00		20,000.00

Specification:

Panel Board Dead front 2 poles, copper busbar, bolt on type metal enclosed to consist of the following:

- 1. 100 amperes 2 poles 240 volts, molded, center main
- 2. 8 pcs 30 amperes 2 poles 240 volts, bolt on type, molded

3	Electrical Tape, Vinyl	rolls	8	70.00	560.00
	Specification: ?Flame retardant and compatible with p ?Flexible PVC with aggressive rubber a	dhesive			
	?Primary electrical insulation for all wire ?19mm x 16m x 0.155mm ?Heavy Duty ?ASTM approved	and Cable	Spines rated		
4	Electrical Wire, THHN / THWN, AWG 10 (5.5mm2), Stranded, 150 meters/box	box	4	6,200.00	24,800.00
	Specification: ?Building Wire ?Stranded with Nylon Insulation ?Gauge 10 ?UL listed				
5	Electrical Wire, THHN / THWN, AWG 12 (3.5mm2), Stranded, 150 meters/box	box	4	6,000.00	24,000.00

	?Stranded with Nylon Insulation				
	?Gauge 12				
	?UL listed				a dive, and
6	Electrical Wire, THHN/THWN AWG 8(8.0 mm2), Stranded copper wire 600 volts	box	1	9,000.00	9,000.0
7	Electrical, Aircon 1 gang outlet (flush type)	set	4	250.00	1,000.0
8	Electrical, 2 gang convenience outlet with ground (flush type)	set	16	300.00	4,800.0
9	Electrical, Junction box with cover, 4" x 4"	pcs	10	50.00	500.0
	Heat resistant ?Waterproof ?UL certified	u U			
10	Electrical, THHN/THWN, AWG 14 (2.0mm2), Stranded, 150m/box	box	3	3,350.00	10,050.0
_	Electrical, Utility Box, 2" x 4",	piece	30	30.00	900.0
11	Specification: PVC	1 1			'
12	Specification: PVC Fire Extinguisher, Dry Chemical (ABC), 10lbs	unit	1	3,000.00	3,000.0
28 (0)	Specification: PVC Fire Extinguisher, Dry Chemical	all classes	s of fires	3,000.00	3,000.0
12	Specification: PVC Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: ISO Certified Dry Chemical recommended for Non Toxic Non Conducting and Non Corros	all classes	s of fires		
12	Specification: PVC Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: • ISO Certified • Dry Chemical recommended for • Non Toxic • Non Conducting and Non Corros LED Bulb, 15 watts	all classes	s of fires ical	3,000.00 300.00 150.00	4,500.0
12	Specification: PVC Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: ISO Certified Dry Chemical recommended for Non Toxic Non Conducting and Non Corros LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18	all classes	s of fires	300.00	4,500.0 1,500.0
12 13 14	Specification: PVC Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: ISO Certified Dry Chemical recommended for Non Toxic Non Conducting and Non Corros LED Bulb, 15 watts LED Bulb, 9 watts	all classes	s of fires ical 15 10	300.00 150.00	4,500.0 1,500.0 5,000.0
12 13 14 15	Specification: PVC Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: • ISO Certified • Dry Chemical recommended for • Non Toxic • Non Conducting and Non Corros LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18 watts, 4ft (Daylight)	all classes sive Chem pcs pcs set	s of fires ical 15 10	300.00 150.00 500.00	4,500.0 1,500.0 5,000.0 67,500.
12 13 14 15	Specification: PVC Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: ISO Certified Dry Chemical recommended for Non Toxic Non Conducting and Non Corros LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18 watts, 4ft (Daylight) Sand, Washed Slotted Angle Bar Specification: 1 ½" X 1 ½" X 3 m , 2mm thk, including the second content of t	all classes sive Chem pcs pcs set cu.m. length	15 10 10 45	300.00 150.00 500.00 1,500.00 750.00	4,500.0 1,500.0 5,000.0 67,500. 7,500.
12 13 14 15	Specification: PVC Fire Extinguisher, Dry Chemical (ABC), 10lbs Specification: ISO Certified Dry Chemical recommended for Non Toxic Non Conducting and Non Corros LED Bulb, 15 watts LED Bulb, 9 watts LED Tube with housing (T8), 18 watts, 4ft (Daylight) Sand, Washed Slotted Angle Bar Specification:	all classes sive Chem pcs pcs set cu.m. length	15 10 10 45	300.00 150.00 500.00 1,500.00 750.00	3,000.0 4,500.0 1,500.0 5,000.0 7,500.0 white

Checked by:

MARLON G. BURLAS

NICK FREDDY R. BELLO

TWG - Construction and Electrical Supplies

HEAD, ACCOUNTING OFFICE

Requested by:

Printed Name:

CATHERINE C. ARRADAZA

CATHERINE C. ARRADAZA

Designation:

Funds Available:

NICK FREDDY R. BELLO

Approved by:

Approved by:

Approved by:

Printed Name:

CATHERINE C. ARRADAZA

Designation:

END USER

UNIT HEAD, PROJECT LEADER

PRESIDENT, VSU, Marketing C. ARRADAZA

Designation:

FUND USER

FUNDS Available:

NICK FREDDY R. BELLO

Approved by:

Approved by:

Approved by:

Approved by:

Approved by:

Approved by:

PRESIDENT, VSU, Marketing C. ARRADAZA

Designation:

NICK FREDDY R. BELLO

PRESIDENT, VSU, Marketing C. ARRADAZA

Approved by:

App