



Republic of the Philippines
VISAYAS STATE UNIVERSITY
 Visca, Baybay City, Leyte

RECEIVED
 JAN 14 2025

BY:

PURCHASE REQUEST

PPMP No. : **PPMP-2025-121724-0812**

Dept./Office: **IEO**

PR No.: **STF-2025-01-00004**

Date: **01-02-2025**

Section/End-User: **Ma. Rachel Kim L. Aure**

Category: **Office Equipment**

Funding Source: **Special Trust Fund**

Project Title/Code: **IEO-2025**

Item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	Bottom Loading Water Dispenser	pc	1	14,500.00		14,500.00

Specification:

- **Product Model:** JD-8044
- **Voltage/Frequency:** 220V ~ 50Hz
- **Cooling Power:** 75W
- **Heating Power:**
 - **Warm & Hot:** Rated Power: 425W
 - **Cold & Hot:** Rated Power: 500W
- **Heating Power:** 425W
- **Carton Size:** 355 x 325 x 1040 mm
- **Actual Product Size:** 320 x 285 x 980 mm
- **Hot Water Temperature Range:** 85 - 95°C

2	HDMI Splitter, 4 Ports	pc	1	5,980.72		5,980.72
---	------------------------	----	---	----------	--	----------

Specification:

- **Device Type:** Splitter
- **Video Connection Type:** HDMI
- **Number of Ports:** 4
- **Number of Video Outputs:** 4
- **Number of Video Inputs:** 1
- **Maximum Resolution:** 1920 x 1080 (Full HD)
- **Audio Connection Type:** HDMI

3	Professional Professional Adjustable Microphone Stand Heavy Duty Mic Stand Stand Boom Mic Stand Trip	pc	2	2,000.00		4,000.00
---	------------------------------------------------------------------------------------------------------	----	---	----------	--	----------

Specification:

- Sturdy and durable mic stand with non slip rubber tripod base
- Heavy duty steel for full support
- Adjustable height, angle, tripod legs base
- Tripod mic stand closed: 8.5 x 7 x 75 cm
- Base to top height: max approx. 145cm (adjustable 82~145 cm)

- 2nd pole fix length: 67 cm
- Weight: 1.3 kg
- Includes 2 mic holders
- Great for musicians, singers etc.
- Easy to set up and bring anywhere

4	UHF Wireless Lapel Microphone Single Lavalier Wireless Microphone	set	21	18,000.00		36,000.00 18,000.00
---	----------------------------------------------------------------------------------	-----	----	-----------	--	-----------------------------------

Specification:

Product Features:

- **Frequency Range:** 683.1 MHz to 695.1 MHz
- **Selectable Frequencies:** 20 frequencies available
- **Casing Material:** ABS
- **Low Battery Indicator:** Yes
- **Operational Distance:** Up to 30 meters
- **Frequency Switching:** Easy operation for frequency adjustment
- **Device Compatibility:** Can connect with mobile phones and other electronic devices

Technical Specifications:

- **Oscillation Mode:** DSP chips frequency locking
- **Frequency Stability:** +10 ppm
- **RF Efficiency:** 10 dBm
- **Distortion:** <0.65 dB
- **Battery Type:** 3.7V Lithium (400 mAh)

5	Wireless Microphone (2pcs) with Receiver	unit	21	36,000.00		72,000.00
---	-----------------------------------------------------	------	----	-----------	--	----------------------

Specification:

- **Simultaneous Systems Per Band:** Up to 12
- **System:**
 - Type: Analog
 - Frequency Range: 542-572 MHz
 - Operating Range: 300 ft. Line-of-sight
 - Frequency Response: 50Hz-15kHz
 - Channel Selection: Auto/Manual
- **Microphone:**
 - Type: Dynamic
 - Polar Pattern: Cardioid
 - Frequency Response: 50Hz-16kHz
- **Transmitter:**
 - Form Factor: Handheld with Mic Capsule
 - Dynamic Range: 100dB (A-weighted)
 - Battery Type: 2 x AA
 - Battery Life: Up to 14 hours
- **Receiver:**
 - Antenna Type: Fixed
 - Type: Table Top

- Displays: LED
- Outputs: 2 x XLR (mic), 2 x 1/4" (instrument)
- Power Source: 12-15V DC power supply

6	XLR Connectors Female	pcs	16	250.00		4,000.00
---	-----------------------	-----	----	--------	--	----------

Specification:

- **Type:** Female 3-Pin XLR Connector
- **Number of Contacts:** 3
- **Mounting Type:** Cable mount
- **Body Orientation:** Straight
- **Contact Plating:** Silver
- **Housing Material:** Zinc
- **Termination Method:** Solder
- **Current Rating:** 16A
- **Voltage Rating:** 50V
- **Contact Material:** Bronze
- **Minimum Operating Temperature:** -30°C
- **Maximum Operating Temperature:** +80°C

7	XLR Connectors Male	pcs	16	250.00		4,000.00
---	---------------------	-----	----	--------	--	----------






Specification:

- **Type:** Male 3-Pin XLR Connector
- **Number of Contacts:** 3
- **Mounting Type:** Cable mount
- **Body Orientation:** Straight
- **Contact Plating:** Silver
- **Housing Material:** Nylon
- **Termination Method:** Solder
- **Current Rating:** 16A
- **Voltage Rating:** 50V
- **Contact Material:** Bronze
- **Minimum Operating Temperature:** -30°C
- **Maximum Operating Temperature:** +80°C

	TOTAL					140,480.72
--	--------------	--	--	--	--	-------------------

Purpose: These are needed as additional equipment for the VSU Smart Classroom.

p. 86,480.72

Checked by:		Funds Available:	
 NORMAN O. VILLAS		 ALICIA M. FLORES	
TWG - Office Equipment		HEAD, BUDGET OFFICE	
Signature:	Prepared by:	Noted by:	Approved by:
	 MA. RACHEL KIM L. AURE	 MA. RACHEL KIM L. AURE	 PROSE IVY G. YEPES
Designation:		UNIT HEAD, PROJECT LEADER	PRESIDENT, VSU