



Republic of the Philippines  
**VISAYAS STATE UNIVERSITY**  
 Visca, Baybay City, Leyte

## PURCHASE REQUEST

PPMP No. : **PPMP-2025-050225-1145**PR No.: **GF-2025-05-00581**Date: **05-08-2025**Dept./Office: **PPO**Category: **Hardware**Section/End-User: **Mario C. Bantugan**Project Title/Code: **Materials for concreting of open drainage along Convention Center and Zeamays**Funding Source: **General Fund - MOOE**

Item #	Item Description	Unit	Qty	Unit Cost	PAR/CS	Total Cost
1	<b>Cement, Portland</b>	bag	1000	330.00		330,000.00
<b>Specification:</b>  ?Type 1P, Premium Quality ?ASTM C150						
2	<b>CHB Molder, 4"</b>	unit	2	3,500.00		7,000.00
<b>Specification:</b>  <b>Molder Specifications for 4 inches:</b> <ul style="list-style-type: none"> <li>• Material: Durable Steel/Metal</li> <li>• Molder Length: 20"</li> <li>• Molder Width: 4.25"</li> <li>• Molder Height (without handle): 8 inches</li> <li>• Hollow Block Size Output (W x L): 4" x 16"</li> </ul>						
3	<b>Cut-off Wheel, 14"Ø (355 mm)</b>	pcs	100	1,000.00		100,000.00
<b>Specification:</b> <ul style="list-style-type: none"> <li>• Heavy Duty</li> <li>• Durable</li> <li>• Premium grade cutting disc</li> <li>• Double ply</li> <li>• Appropriate for cut off machines, chop saws, stationary pendulum action cutters and grinders.</li> </ul>						
4	<b>G.I. Tie Wire #16</b>	kl	20	90.00		1,800.00
<b>Specification:</b> Good Quality						
5	<b>Heavy Duty Angle Grinder, 6"</b>	unit	2	12,000.00		24,000.00
<b>Specification:</b> <ul style="list-style-type: none"> <li>• Continuous rating input: 1,050W</li> <li>• Wheel Diameter :150 mm (6")</li> <li>• No Load Speed (RPM): 10,000 rpm</li> <li>• Vibration Level Surface Grinding: 10.0 m/s<sup>2</sup></li> <li>• With Wheel Cover</li> </ul>						

<ul style="list-style-type: none"> <li>• With depressed center wheel</li> <li>• With side grip</li> </ul>						
6	<b>Heavy Duty Cut-off Machine, 14"Ø (355 mm)</b>	pc	2	18,000.00		36,000.00
<b>Specification:</b>  ?Voltage: 220V ?Rating Input: at least 2,200 Watts ?Durable, Heavy Duty ?Blade Diameter: 14" (355mm) ?Compatible cutting for wood and metal and stone ?No-Load Speed: at least 3,800 rpm						
7	<b>Nails, Common Wire, 3"</b>	kl	20	90.00		1,800.00
<b>Specification:</b> Smooth Shank						
8	<b>Nails, Common Wire, 4"</b>	kl	20	90.00		1,800.00
<b>Specification:</b> Smooth Shank						
9	<b>Portable Power Sprayer (Pressure Washer)</b>	unit	2	10,000.00		20,000.00
<b>Specification:</b> <ul style="list-style-type: none"> <li>• Voltage: 220-240 V</li> <li>• Frequency: 50/60 Hz</li> <li>• Rated Power: 1,200 W</li> <li>• Rated Pressure: 70 bar</li> <li>• Maximum Pressure: 100 bar</li> <li>• Rated Flow: 5.5 L/min</li> <li>• Maximum Pressure Water Supply: 1.2 MPa</li> <li>• Maximum Water Temperature: 50 C</li> <li>• Sound Pressure Level: 81 dB</li> <li>• Sound Power Level: 92 dB</li> </ul>						
10	<b>Shovel, Tempered steel round pointed end</b>	piece	10	370.00		3,700.00
<b>Specification:</b>  ?Heavy duty wooden handle ?Good quality						
11	<b>Steel Bar, Deformed(Corrugated),12mm x 6m</b>	length	500	330.00		165,000.00
<b>Specification:</b>  ASTM / Grade 33 Structural						
12	<b>Undercarriage Cleaner Attachment</b>	set	2	8,000.00		16,000.00
<b>Specification:</b> <ul style="list-style-type: none"> <li>• At least 16 inches stainless steel body with 2 caster wheel, 4 spray nozzles and 1/4" connection plug</li> </ul>						

- At least with 15.7 inches stainless steel extension wand and 1/4" connection adaptor
- At least with 15.7 inches stainless steel bend wand with 1/4" connection adaptor

**TOTAL**

**707,100.00**

Purpose: Concreting of open drainage

Checked by:

**CLINT C. SARVIDA**

TWG - Hardware

Funds Available:

**ALICIA M. FLORES** HAM-05

HEAD, BUDGET OFFICE 25

Signature:

Printed Name:

Designation:

Prepared by:

**MARIO C. BANTUGAN**

Noted by:

**MARLON G. BURLAS**

UNIT HEAD, PROJECT LEADER

Approved by:

**PROSE IVY G. YEPES**

PRESIDENT, VSU