

Republic of the Philippines VISAYAS STATE UNIVERSITY

Visca, Baybay City, Leyte

7.E.58

PURCHASE REQUEST

PPMP No.: PPMP-2025-071725-1314

PR No.: TF-2025-07-00915

Date: 07-28-2025

Dept./Office: UHS

Category: Medical & Dental

Section/End-User: Clara P. Mercado

Supplies & Equipment

Funding Source: Trust Fund

Project Title/Code: TRUST-2025

| Item | Item Description | Unit | Qty | Unit Cost | PAR/ICS | Total Cost |
|------|--|-------|-----|-----------|---------|------------|
| | Duracell CR123 Lithium Batteries (Pack of 10) | packs | 1 | 9,000,00 | | |
| _ | Specification | | | 5,555.00 | | 9,000.00 |

Specification:

Pack of 10 - Specifically for ZOLL AED plus units

Lithium IEC: CR17345

Volt: 3.0

Size (mm): 34 x 17

mAh: 1600

Anticipated Life - 5 years in normal standby mode.

| 2 Zoll CDD D waste | | A CONTRACTOR OF THE PARTY OF TH | | |
|--------------------|--------------------------|--|-----------|-----------|
| 2 Zoll CPR D-pads | set | 1 | 05 000 00 | |
| | 301 | | 25,000.00 | 25 000 00 |
| Caralla 4 | The second second second | - | | 25,000,00 |

Specification:

1. ZOLL CPR-D Padz Product : Model Number: ZOLL CPR-D Padz

Shelf Life: 5 years

Conductive Gel: Polymer Hydrogel

Conductive Element: Tin

Packaging: Multi-layer foil laminate pouch

Impedance Class: Low

Cable Length: 36 in (91 cm)

Complete assembly:

Folded length: 7.6 in (19.4cm)

Folded width: 7.0 in (17.8cm)

Folded height: 1.5 in (3.8cm)

Design standards: Meets application requirements of ANSI/AAMI/ISO DF-39-1993

*Unique one-piece design

Lasy to set up: provides all accessories required for rescue session.

*Maximizes proper placement with fast "release and press" liners.

*Virtually impossible for rescuer to get confused

*Not available on any other AED-world's first AED to offer this feature.

*Integrates important CPR skills to help rescuer through all aspects of a rescue.

2. Duracell CR123 Lithium Batteries (Pack of 10)

*Pack of 10 - Specifically for ZOLL AED Plus units

*Lithium IEC: CR17345

*Volt: 3.0

*Size (mm): 34 x 17

*mAh: 1600

*anticipated Life - 5 years in normal standby mode.

3. ZOLL M2 (Monitor/Defibrillator) 5-Lead ECG Cable

*5-Lead Electrode 12Pin

AHA Color Coding

RA/White Electrode

LA/Black Electrode

LL/Red Electrode

RL/Green Electrode

V/Brown Electrode

| | 2 | ZOLL M2 (MONITOR/Defribrillator) | | | | |
|---|---|----------------------------------|-----|---|-----------|---------------|
| | | 5-Lead ECG Cable | set | 1 | 15,000.00 | 15,000.00 |
| 1 | | Specification | | | | 10,000.00 |

Specification:

5-Lead Electrode 12PIN

RA/White Electrode

LA/Black Electrode

LL/Red Electrode

RL/Green Electrode

V/Brown Electrode

TOTAL 49,000.00 Purpose: For hospital use Checked by: Funds Available: TEODORA DORIS P. BRAGANZA NICK FREDDY N. BELLO HEAD, ACCOUNTING OFFICE TWG - Medical & Dental Supplies & Equipment Prepared by: Noted by: Approved by: PROSE IVY G. YEPES 7/30/14 Signature: CLARA P. MERCADO Printed Name: ELWIN JAY V. YU UNIT HEAD, PROJECT LEADER PRESIDENT, VSU Designation: