

SCAN HERE



PR-2022-0906-60600

OP 9/8/22



Republic of the Philippines
VISAYAS STATE UNIVERSITY
 Visca, Baybay City, Leyte

PURCHASE REQUEST

Dept./Office: **ITEEM** PR No.: **TF-2022-09-01414** Date: **09-06-2022**
 Category: **IT Supplies and Equipment** Duration: **2022-08-01 to 2022-12-31**
 Section/End-User: **Cecilio M. Benitez** Project Title/Code: **FISH CORAL 20201050.10.108**
 Funding Source: **Trust Fund**

Item #	Item Description	Unit	Qty	Unit Cost	PAR/ICS	Total Cost
1	Computer HD Webcam	pieces	3	4,000.00		12,000.00
Specification: ?1080P Full HD Webcam ?Lens: HD lens ?Sensor Type: CMOS ?Video Format: AVI ?Frame Rate: at least 30FPS ?Drive Type: free drive. Plug and play ?Photo Format: BMP JPG ?Resolution: 1920 * 1080 P ?Output Format: M-JPEG ?Interface Type: USB2.0 ?Microphone: Built-in microphone ?Focusing Range: 20mm						
2	Cover for keyboard	pieces	4	50.00		200.00
3	External Hard Disk Drive (Portable, 2TB), USB 3.1	unit	5	4,200.00		21,000.00
Specification: ?Shock-absorbing ?Interface: USB 3.1 (Max.5Gb/s) ?Capacity: 2TB ?Texture: Plastic/Rubber ?Operating Voltage: DC 5V, 900mA ?System Requirements: Windows XP / Vista / 7 / 8 / 8.1 / 10, Mac OS X 10.6 or later, Linux Kernel 2.6 or later						
4	Flatbed Scanner	unit	1	5,000.00		5,000.00
Specification: ?Scanner Type: ?Flatbed colour image scanner ?Scanning Method: ?Fixed document and moving carriage ?Optical Resolution: ?						

4,800 dpi x 4,800 dpi *1

?Output Resolution:

?50 dpi to 4800 dpi, 7200 dpi, 9600 dpi (50 dpi to 4800 dpi in 1 dpi increments) *2

?Scanner Bit Depth (Colour):

?48-bit input, 24-bit output

?Scanner Bit Depth (Grayscale):

?16-bit input, 8-bit output

?Scanner Bit Depth (Black & White):

?16-bit input, 1-bit output

?Max Document Size:

?Up to 216 x 297mm

5	Printer, Laser Jet	unit	2	7,500.00		15,000.00
---	---------------------------	------	---	----------	--	-----------

Specification:

- Function: Print Only
- Print speed black (normal, A4): Up to 20 ppm
- Print speed: Print speed up to 21 ppm (black)
- Print speed black (normal, letter): Up to 21 ppm
- Print quality black (best): Up to 1,200 x 1,200 dpi
- Connectivity, standard: Hi-Speed USB 2.0 port, Wireless 802.11 b/g/n
- Compatible Operating Systems: Windows®: 7 (32/64 bit),

6	Printer, Tank Ink System, 3 in 1 (Print, Scan, Copy)	unit	2	11,000.00		22,000.00
---	---	------	---	-----------	--	-----------

Specification:

?Tank Ink System
?Printer Type: Print, Scan and Copy
?Scanner Type: Flatbed colour image scanner
?Sensor Type: CIS
?Optical Resolution: 600 x 1200 dpi
?Copy Speed: Maximum Copies from Standalone: 20 copies
?Maximum Copy Size: A4, Letter
?ISO 29183, A4 Simplex Flatbed (Black / Colour): Up to 7.0 ipm / 1.7 ipm
?Max Copy Resolution: 300 x 300 dpi
?Paper Handling: Up to 20 Sheets-Premium Glossy Photo Paper 10 Sheets-Envelope, 30 Sheets-Postcard
?Output Capacity: Up to 30 sheets
?A4 plain paper: 20 sheets, Premium Glossy Photo Paper
?Maximum Paper Size: 215.9 x 1200 mm (8.5 x 47.24")
?Nozzle Configuration: 180 x 1 nozzles Black, 59 x 1 nozzles per colour (Cyan, Magenta, Yellow)
?Print Direction: Bi-directional printing
?Maximum Print Resolution: 5760 x 1440 dpi (with Variable-Sized Droplet Technology) 5760 x 1440 dpi (with Variable-Sized Droplet Technology)
?Minimum Ink Droplet Size: 3 pl

7	Surge suppressor 6 outlets	unit	3	600.00		1,800.00
---	-----------------------------------	------	---	--------	--	----------

Specification:

?Maximum capacity: 2500W
?Voltage Surge Protector (protects appliances from voltage spikes)

?6 Neon Switch ?1 Circuit Breaker (protects appliance from overload or short circuit) ?3 Two-Prong Outlets ?3 Three-Prong Outlets w/ Grounding ?90 degree outlet orientation ?With line/noise filter ?Royal Cord #16/3 (5.00 meters) ?Metal casing						
8	Toner Cartridge, HP 85A CE285A, Black	boxes	6	3,500.00		21,000.00
Specification: - HP 85A (CE285A) toner cartridges work with: HP LaserJet Pro M1212nf, M1217nfw, P1102w, P1109w - HP 85A toner cartridge yield (approx.): 1,600 pages. Operating temperature range is 10 to 32.5°C						
9	UPS, 1000 VA	unit	3	3,000.00		9,000.00
Specification: ?1000VA/600W capacity ?Frequency Range: 60 Hz ?Freq. Range (Batt. Mode): 60 Hz $\pm$ 1 Hz ?Transfer Time: Typical 4-8 ms ?Waveform (Batt. Mode): Simulated Sine Wave ?Back-up Runtime: 10-15 mins ?Voltage: 220 VAC ?Voltage Range: 162-270 VAC						
10	USB Hub, 4 gangs	piece	4	250.00		1,000.00
TOTAL						108,000.00
Purpose: For project use.						
Checked by: MICHAEL ANTHONY JAY B. REGIS TWG - IT Supplies and Equipment				Funds Available: <i>[Signature]</i> NICK FREDDY R. BELLO HEAD, ACCOUNTING OFFICE		
Signature:	Requested by:		Noted by:		Approved by:	
Printed Name:	CECILIO M. BENITEZ		HUMBERTO R. MONTES JR.		EDGARDO E. TULIN	
Designation:	END USER		UNIT HEAD, PROJECT LEADER		PRESIDENT, VSU	